



# SolEdge-HDG plan 2026

**On behalf of SolEdge-HDG  
team**

Working plan



This work has been carried out within the framework of the EUROfusion Consortium, funded by the European Union via the Euratom Research and Training Programme (Grant Agreement No 101052200 — EUROfusion). Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Commission. Neither the European Union nor the European Commission can be held responsible for them.



- Mean-field simulations of TCV-X23 with reduced transport model:
  - **Current status:** Y. Kunimoto (PhD student) is testing new closures for reduced turbulent model on TCV-X21
  - **2026 plans:**
    - How can we get TCV-X23 data?
    - We should compare reduced turbulent model results with turbulent codes
- Limiter configuration discharges on WEST to support ITER start-up:
  - **Current status:** full discharges are modelled + impurity radiation model + simplified transport + ERO2.0 simulation of erosion and impurity transport
  - **2026 plans:**
    - Investigate in more details in steady state higher fidelity core models, reduced turbulent models, the impact of radiation profile, BC at grazing angles, flux limiters and validate against experiment
    - Study the impact on wall erosion

# TSVV-B scientific proposal, SolEdge-HDG



- Implementation of impurity models and drifts
  - **Current status:** impurity radiation model tested, some artifacts of old drifts tests are in the code
  - **2026 plans:**
    - Test whether or not impurity model is enough in limiter and diverted plasmas
    - Do X-point radiation simulations, scanning the cooling function
    - Start working with BgradB drift
- 3D simulations
  - **Current status:** M. Capasso (PhD student) runs 3D N-Gamma-neutral model in circular case, for WEST there are issues with memory (direct solver, size of the mesh)
  - **2026 plans:**
    - Investigate iterative solvers
    - Do ripple simulations at least in circular geometry, but also in WEST and compare with exp
    - First attempts to implement advanced numerical approach to reduce condition number due to problem anisotropy

# SolEdge-HDG longer terms



- Implementation of impurity transport, ExB drifts will require adding new complex equations
- Dealing with non-axisymmetric 3D wall geometry will require changing of code numerics (so far 2.5D with toroidal symmetry)
- Adding new physics will most probably require more refined meshes => memory issues
- At the current stage of the code adding new features and changing code basis is getting more and more cumbersome (legacy, documentation, readability issues)
- Also int32 implementation limits us memory-wise (pastix/petsc crashes for large meshes)
  
- **At this moment we should consider rewriting the code from scratch if we want to have all the described capabilities**
- At least a reduced version of the code solely for impurities/vorticity equation can be made and coupled
- The problem is the absence of permanent contract scientists working on the code
- Is EBC repository available?
- Help with impurity model and vorticity equation from SOLEDGE3X team?
- **If budgets for 2027 are reduced there is a risk of staying with 2.5D, only impurity radiation and only BgradB drift**